




FACMA®

Costruzione macchine agricole
Construcción máquinas agrícolas
Agricultural machines construction
Construction des machines agricoles


-  **Raccogliatrice semovente SEMEK 1000 con crivello rotativo**
-  **Recogedora automotriz SEMEK 1000 con criba rotatoria**
-  **Self-propelled harvester SEMEK 1000 with rotating cribe**
-  **Récolteuse automotrice SEMEK 1000 avec crible**

Scheda tecnica
Technical data sheet
Ficha técnica
Fiche technique



FACMA S.r.L.
Strada Piangoli s.n.c. 01030 Vitorchiano (VT) Italy
Tel. +39 0761 370292 - +39 0761 370420
Fax. +39 0761 370420
E-mail: info@facma.it - www.facma.it - skype: info.facma



Dati tecnici Technical data Données techniques Datos técnicos	Unità di misura Measure unit Unité de mesure Unidad de medida	SEMEK 1000	
Trazione Drive Traction Tracción	3 Ruote motrici con trasmissione idraulica 3 driving wheels with hydraulic transmission 3 roues motrices avec transmission hydraulique 3 ruedas motrice con transmisión hidráulica		
Bocche di raccolta Harvesting mouths Bouches de récolte Bocas de cosecha	1 raccattatore meccanico e 2 spazzole anteriori 1 recogedor mecánico y 2 cepillos delanteros 1 mechanical gatherer and 2 front brushes 1 ramasseur mécanique et 2 brosses antérieures		
Lunghezza Length Longueur Larghezza	mm	5.000	
Altezza Height Hauteur Alteza	mm	2.000	
Larghezza Width Largeur Anchura	mm	2.300	
Larghezza del raccogliatore Harvester width Largeur du ramasseur Achura del recogedor	mm	3.000 / 3.400 / 3.700	
Peso Weight Poids Peso	Kg	3.655	
Motore Engine Moteur Motor	UE 	Diesel 4T DEUTZ TCD 2,9 HT SV Common-rail	hp 74 / kW 55
	Extra UE	Diesel 4T VM D 754 TE3	hp 81,3 / kW 59,8
IN DOTAZIONE – EN DOTACIÓN – INCLUDED – EN DOTATION			
3 ruote motrici 3 ruedas motrices 3 driving wheels 3 roues motrices		Doppia marcia (avanzamento/ lavoro) Doble marcha (avance / trabajo) Double gear (advance / job) Double marche (avance / travail)	
Soffiatore laterale Soplador lateral Lateral blower Souffleur latéral		Roll-bar antiribaltamento RPS003FC omologato Arco de protección roll-bar RPS003FC homologated R.O.P.S. structure RPS003FC homologated Arceau de capotage RPS003FC homologué	
Kit videocamera per visualizzazione crivello posteriore Video camera kit to see back rotating sieve Vide caméra pour voir crible rotatif postérieur Video cámara par ver criba rotatoria trasera		Kit comando a distanza soffiatore laterale Kit for controlling at distance lateral blower Commande à distance souffleur latéral Mando a distancia soplador lateral	
A RICHIESTA – EN PETICIÓN – OPTIONAL – SUR DEMANDE			
Crivello rotativo aggiuntivo per eventuali ulteriori prodotti Rotating sieve for possible other products Crible rotatif additionnel pour d'autres produits Criba rotatoria para eventuales otros productos		Cabina climatizzata ad una porta Air conditioned cabin with one door Cabine climatisée avec une porte Cabina climatizada con una puerta	

Kit tecnologia 4.0 (gps, teldiagnosi, ecc.) 4.0 technology kit (gps, tele-diagnosis service, etc.) Technologie 4.0 (gps, service de télé diagnostic, etc.) Equipaje de tecnología 4.0 (gps, servicio de telediagnostico, etc.)	Kit fari led per lavoro serale Led lights kit for night for night working Lampes LED pour travail du soir Lámparas led para trabajo nocturno
--	--

Capacità di raccolta (kg/h) Harvesting capacity (kg/h)
Capacité de récolte(kg/h) Capacidad de cosecha (kg/h)

SEMEK con Crivello rotativo	Nocciole Hazelnuts Noisettes Avellanas (hp: 2 ton/ha)	Castagne Chestnuts Châtaignes Castañas (hp: 2 ton/ha)	Mandorle Almonds Amandes Almendras (hp: 2 ton/ha)	Noci Walnuts Noix Nueces (hp: 4 ton/ha)	Macadamia Macadamia Macadamia Macadamia (2 ton/ha)
Kg/h	2.500	2.500	2.000	3.000	2.000

La capacità di lavoro è subordinata alla preparazione del terreno e alla quantità di prodotto.
 The working capacity is subordinate to the ground preparation and to product quantity.
 La capacité de travail est subordonnée à la préparation du terrain et à la quantité du produit.
 La capacidad de trabajo está subordinada a la preparación del suelo y a la cantidad del producto.