



-  **Raccogliatrice trainata C300T**
-  ***Recogedoras arrastradas C300T***
-  ***Trailed harvesters C300T***
-  ***Récolteuses trainées C300T***

Scheda tecnica
 Technical data sheet
 Ficha técnica
 Fiche technique



FACMA S.r.L.
 Strada Piangoli s.n.c. 01030 Vitorchiano (VT) Italy
 Tel. +39 0761 370292 - +39 0761 370420
 Fax. +39 0761 370420
 E-mail: info@facma.it - www.facma.it - skype: info.facma



Dati tecnici Technical data Données techniques Datos técnicos	Unità di misura Measure unit Unité de mesure Unidad de medida	CIMINA C300T	
Lunghezza Length Longueur Largueza	mm	4.000	
Altezza Height Hauteur Alteza	mm	1.800	
Larghezza Width Largeur Anchura	mm	1.640	
Peso Weight Poids Peso	Kg	900	
Potenza richiesta Potencia requerida Power requested Puissance Potencia	Kw/CV-HP	65 / 48	
Capacità di lavoro Capacidad operativa Working capacity Capacité de travail	(Ha/h)	0.25 / 0.30	
P.d.f. T.d.f. P.T.O		540	
Ciclone abbattimento polvere posteriore Posterior de-duster cyclone Ciclón de desempolvados posterior Cyclone dépourssiéreur postérieur	N°2	2 tubi in moplen azionati a mano 2 tubos manuales en polipropileno 2 moplen manual pipes 2 tuyaux manuels en moplen	N°2 x 140 mm Ø 8 – 25 mt
<u>IN DOTAZIONE - EN DOTACIÓN</u> <u>INCLUDED - EN DOTATION</u>		<u>A RICHIESTA – EN PETICIÓN</u> <u>OPTIONAL – SUR DEMANDE</u>	
Tubi di raccolta Tubos de cosecha Harvesting pipes Tuyaux de récolte	16 mt 140 mm Ø	Pistone di livellamento Pistón de nivelación Levelling piston Piston de nivellement	Kit prepulitore Kit pre-limpiador Pre- cleaning kit Kit de nivellement
Giunto cardanico Junto de cardán Universal joint Joint de cardan		Smallatore Despellejador Husk remover Écaleur	Raccogliatore laterale idraulico RL160 Recogedor hidráulico lateral Hydraulic lateral harvester Ramasseur latéral hydraulique
N.2 Ciclone abbattimento polvere posteriore N.2 Posterior de-duster cyclone N.2Ciclón de desempolvados posterior N.2 Cyclone dépourssiéreur postérieur		CRIVELLO ROTATIVO aggiuntivo per eventuali ulteriori prodotti ROTATING SIEVE for possible other products CRIBLE ROTATIF additionel pour d'autres produits CRIBA ROTATORIA para eventuales otros productos	

Capacità di raccolta (kg/h) Harvesting capacity (kg/h)
Capacité de récolte(kg/h) Capacidad de cosecha (kg/h)

CIMINA 300 T	Nocciole Hazelnuts Noisettes Avellanas (hp: 2 ton/ha)	Castagne Chestnuts Châtaignes Castañas (hp: 2 ton/ha)	Mandorle Almonds Amandes Almendras (hp: 2 ton/ha)	Noci Walnuts Noix Nueces (hp: 4 ton/ha)	Caffè Café Coffee Café (1.5 ton/ha)	Macadamia Macadamia Macadamia Macadamia (2 ton/ha)	Noce pecan Nues pecán Pecan nut Noix de pécan (2 ton/ha)
Kg/h	600	600	700	800	500	500	500

La capacità di lavoro è subordinata alla preparazione del terreno e alla quantità di prodotto.
 The working capacity is subordinate to the ground preparation and to product quantity.
 La capacité de travail est subordonnée à la préparation du terrain et à la quantité du produit.
 La capacidad de trabajo está subordinada a la preparación del suelo y a la cantidad del producto.